

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

flexible ceramic substrate

Display:

10 Documents in Display Format: Starting with
 Number 1

 Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

 DATE: Wednesday, March 09, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	flexible ceramic substrate	12	<u>L23</u>
<u>L22</u>	flexible ceramic	304	<u>L22</u>
<u>L21</u>	4987579.pn.	1	<u>L21</u>
<u>L20</u>	5149200.pn.	1	<u>L20</u>
<u>L19</u>	5190048.pn.	1	<u>L19</u>
<u>L18</u>	5340019.pn.	1	<u>L18</u>
<u>L17</u>	5415038.pn.	1	<u>L17</u>

<u>L16</u>	5449234.pn.	1	<u>L16</u>
<u>L15</u>	4743121.pn.	1	<u>L15</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>			
<u>L14</u>	8700917	17	<u>L14</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L13</u>	5454641.pn.	1	<u>L13</u>
<u>L12</u>	4297668.pn.	1	<u>L12</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES;</i>			
<i>OP=ADJ</i>			
<u>L11</u>	L10 and (pipe or tube or tubular or cylindrical)	925	<u>L11</u>
<u>L10</u>	374/208	1838	<u>L10</u>
<u>L9</u>	L8 and "pipe"	45	<u>L9</u>
<u>L8</u>	L1 and "verbitsky"	263	<u>L8</u>
<u>L7</u>	L3 and (mount ot clamp or holder)	204	<u>L7</u>
<u>L6</u>	L3 and (temperature sensi\$4 clamp or temperature sensi\$4 mount or temperature sensi\$4 holder)	0	<u>L6</u>
<u>L5</u>	L4 and "substrate"	30	<u>L5</u>
<u>L4</u>	L3 and "fluid flow"	409	<u>L4</u>
<u>L3</u>	L2 and (temperature or thermal)	2767	<u>L3</u>
<u>L2</u>	L1 and "pipe"	2892	<u>L2</u>
<u>L1</u>	374/\$	25881	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 and "mold"	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L16

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, March 09, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L16</u>	L14 and "mold"	0	<u>L16</u>
<u>L15</u>	L14 and "pipe"	0	<u>L15</u>
<u>L14</u>	6626037.pn.	1	<u>L14</u>
<u>L13</u>	L12 and "pipe"	0	<u>L13</u>
<u>L12</u>	6631638.pn.	1	<u>L12</u>
<u>L11</u>	L9 and "mold"	0	<u>L11</u>

<u>L10</u>	L9 and "pipe"	1	<u>L10</u>
<u>L9</u>	6485175.pn.	1	<u>L9</u>
<u>L8</u>	L6 and "pipe"	0	<u>L8</u>
<u>L7</u>	L6 and (pipe or tube or cylindrical)	1	<u>L7</u>
<u>L6</u>	4633578.pn.	1	<u>L6</u>

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES;

OP=ADJ

<u>L5</u>	L3 and (plastic mold or molded housing)	36	<u>L5</u>
<u>L4</u>	L3 and "plastic mold"	14	<u>L4</u>
<u>L3</u>	374/\$	25881	<u>L3</u>
<u>L2</u>	L1 and "plastic mold"	5	<u>L2</u>
<u>L1</u>	374/208	1838	<u>L1</u>

END OF SEARCH HISTORY

Searches for User *gverbitsky* (Count = 30264)

Queries 30215 through 30264.

Find

S #	Updt	Database
<u>S30264</u>	<u>U</u> USPT	flexible cerami
<u>S30263</u>	<u>U</u> USPT	flexible cerami
<u>S30262</u>	<u>U</u> USPT	4987579.pn.
<u>S30261</u>	<u>U</u> USPT	5149200.pn.
<u>S30260</u>	<u>U</u> USPT	5190048.pn.
<u>S30259</u>	<u>U</u> USPT	5340019.pn.
<u>S30258</u>	<u>U</u> USPT	5415038.pn.
<u>S30257</u>	<u>U</u> USPT	5449234.pn.

<u>S30256</u>	<u>U</u>	USPT	4743121.pn.
<u>S30255</u>	<u>U</u>	USPT,USOC,EPAB,JPAB,DWPI	8700917
<u>S30254</u>	<u>U</u>	USPT	5454641.pn.
<u>S30253</u>	<u>U</u>	USPT	4297668.pn.
<u>S30252</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/208 and (p	
<u>S30251</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/208	
<u>S30250</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "verl	
<u>S30249</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "verl	
<u>S30248</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "pipe	
<u>S30247</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "pipe temperature sei	
<u>S30246</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "pipe	
<u>S30245</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "pipe	

<u>S30244</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$ and "pip	
<u>S30243</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$ and "pip	
<u>S30242</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$	
<u>S30241</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$	
<u>S30240</u>	<u>U</u>	USPT	6626037.pn. ar
<u>S30239</u>	<u>U</u>	USPT	6626037.pn. ar
<u>S30238</u>	<u>U</u>	USPT	6626037.pn.
<u>S30237</u>	<u>U</u>	USPT	6631638.pn. ar
<u>S30236</u>	<u>U</u>	USPT	6631638.pn.
<u>S30235</u>	<u>U</u>	USPT	6485175.pn. ar
<u>S30234</u>	<u>U</u>	USPT	6485175.pn. ar
<u>S30233</u>	<u>U</u>	USPT	6485175.pn.

<u>S30232</u>	<u>U</u>	USPT	4633578.pn. ar
<u>S30231</u>	<u>U</u>	USPT	4633578.pn. ar
<u>S30230</u>	<u>U</u>	USPT	4633578.pn.
<u>S30229</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and (plas	
<u>S30228</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$ and "plas	
<u>S30227</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/\$	
<u>S30226</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/208 and "p	
<u>S30225</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/208	
<u>S30224</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/208,29,30 [CCLS] and (fl
<u>S30223</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/208,29,30 [CCLS] and (fl
<u>S30222</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/208,29,30 [CCLS]
<u>S30221</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/208 and "p	

S30220 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/208

S30219 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/148 and "s

S30218 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/148

S30217 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$ and (flow

S30216 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$ and (flow
(mold\$3)

S30215 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD374/\$ and (flow

Find

Next

Oldest

Edit

Help

Return